

med**TV**⁶⁵



medTV Smart 65"

medTV⁶⁵



medTV Smart 65"

SPECIFICATIONS

- 4K Ultra-HD 3840 x 2160
- 65" Diagonal Panel
- Cabinet Dims (WxHxD): 57.6" x 33.1" x 2.1"
(146.2cm x 84cm x 5.5cm)
- Shipping Weight: 56 lbs
- 200x300mm, 6mm

For more info, visit
pdiarm.com/products/a-series65

65" LED HDTV WITH SMART TECHNOLOGY

- Use as simple TV or medTV with integrated game and relaxation apps, no internet required
- Smart TV Capable (Android OS 11) to work with Interactive Patient Software Systems
- Easy to customize with GENiO™ remote management (optional)
- UL-Listed, Healthcare-grade for use in USA and Canada
- ATSC, NTSC, QAM
- Pro:Idiom®, Pro:Idiom®M, AES-128 and DISH IP DRM
- IPTV Capable
- Multi-bed Codes, Volume Limiters, and More
- Universal Pillow Speaker Recognition
- USB Clone Capable
- Compatible with Epic® MyChart® BedsideTV

PDi
Communication Systems, Inc.





Android™ -based Smart Hospital TVs

PDi 65" 55" 43" 32"

Android 11 OS or higher, compatible
with Epic® MyChart® Bedside TV

Improve your patient and staff experience,
with information and entertainment

EASY PATIENT ACCESS TO EPIC MYCHART

Deliver patient health information on the only Android-based hospital TVs compatible with the interactive MyChart Bedside TV Android app, available from Epic®. Patients access daily health schedules, pre-op instructions, patient medication information, care team, and more on PDi Smart Hospital TVs.

POPULAR EXPANDED ENTERTAINMENT

Delight patients with built-in pillow-speaker controlled TV, games, and relaxation, no internet required. Customize your patient experience and save staff steps using the cloud-based GENiO™ interactive platform by PDi.

UL-LISTED FOR HEALTHCARE

Safe for healthcare use in the USA and Canada. PDi A-Series hospital-grade displays offer Pro:Idiom® and Pro:Idiom® M, AES-128, and DISH IP-DRM. Enjoy features including IPTV capability, multi-bed codes, volume limiters, universal pillow speaker recognition, USB cloning, and more to satisfy patients and staff.

Exclusive PDi Pillow Speaker Control



Ask for Curbell PDi-GENiO
pillow speakers for smart
control.


"PDi TVs are bulletproof. They stand up to a lot of abuse from patients and keep working really well. I plan to keep using them."

- Skeets Zinkhan, Healthsouth Chesapeake


Easily customize with
GENiO cloud-based
software by PDi

GENiO™

powered by PDi




MODELS & SPECIFICATIONS



Includes TV, relaxation, and games; no internet required. Expand engagement with internet access or GENiO™ cloud-based customization and remote management software by PDi.

| Android OS | Android 11 | Android 11 | Android 11 | Android 11 |
|---------------------------------------|--|--|---|---|
| Diagonal Panel Size | 65" (165.1 cm) | 55" (139.7cm) | 43" (109 cm) | 31.5" (80.0 cm) |
| Backlight Type | Back Lit LED | Edge Lit LED | Edge Lit LED | Edge Lit LED |
| Native Resolution | 3840 x 2160 (UFHD) | 3840 x 2160 (UFHD) | 3840 x 2160 (UFHD) | 1366x768(HD) |
| Speakers/ Audio Output | 2 x 5 W | 2 x 5 W | 2 x 5 W | 2 x 5 W |
| Power Supply | 120 VAC/60 | 120 VAC/60 | 120 VAC/60 | 120 VAC/60 |
| Power Consumption | 179 W | 120 W | 84 W | 50 W |
| Max and Normal/ W x H x D Low Standby | <15 W / <1 W | <15 W / <1 W | <15 W / <1 W | <15 W / <1 W |
| Unit Dimensions W x H x D | 57.6" x 33.1" x 2.1" (146.2 x 84 x 5.5cm) | 49.2" x 28.5" x 2.1" (125 x 72.5 x 5.5cm) | 38.6" x 22.4" x 2.2" (98 x 57 x 6cm) | 29.2" x 17.1" x 2.3" (74 x 43.5 x 6cm) |
| Carton Size & Carton Weight | 63" x 38" x 8" 56 lbs | 58" x 41" x 8" 59 lbs | 42" x 26" x 6" 32 lbs | 32" x 21" x 5" 19 lbs |
| VESA Mount Pattern | 200x300, 6mm | 400x400, 8mm | 200x200, 6mm | 100x200, 6mm |
| Warranty | 3 year Standard 5 year Optional | 3 year Standard 5 year Optional | 3 year Standard 5 year Optional | 3 year Standard 5 year Optional |



MyChart Bedside TV Hardware Requirements

| Epic MyChart Bedside TV | PDi A-Series Hospital TVs |
|---|---|
| Android Version 9.0 or later | Android 11 OS |
| Minimum 1.5 GB RAM | Minimum 1.5 GB RAM |
| Pillow Speaker with 4-way Navigation Buttons, OK/Select Button, and a Back Button | PDi-GENiO Smart Pillow Speaker by Curbell Medical |

*Typical connections. Placement varies by model.

HEALTHCARE FEATURES



Pro:Idiom®

GENiO
powered by PDI



DOLBY AUDIO™

HDMI®
HIGH-DEFINITION MULTIMEDIA INTERFACE

HEALTHCARE TV FEATURES

| | | | | | |
|----------------------------------|-----|---|------------------------------|---|------------------------|
| Auto Power On | Yes | Direct Access to Source from Pillow Speaker | Yes | Channel Tiers | 3 (Free/Basic/Premium) |
| Pro:Idiom® Pro:Idiom®M | Yes | Programmable Source Selection | Yes | Digital Channel Autoscans and On/Off Capability | Yes |
| AES 128 | Yes | Channel Enable/Disable | Yes | Customizable Power On Splash Screen | Yes |
| DISH IP | Yes | Parental Control (V-CHIP) | Yes | UL Hospital Grade | Yes |
| Multi-Bed Codes A/B/C/D | Yes | Sleep Timer | Yes | Setup Menu Password Lock | Yes |
| Min/Max Volume Limiter | Yes | OSD Language Limiter | English/Spanish/ French | Set-up Wizard | Yes |
| Power-on Volume | Yes | SI Control Port | CCI/MTI/Smart Port | Pre-loaded Apps | Yes |
| Internal Speaker Disable | Yes | IR OUT | YES (MTI Port) | | |
| USB Cloning | Yes | Universal Recognition Pillow Speaker | Yes, 3 Conductor 1/4" Female | | |
| Curbell PDI-GENiO Pillow Speaker | Yes | | | | |
| Pillow Speaker Voltage | 5V | | | | |

AUDIO/VIDEO BROADCAST SYSTEMS

| | |
|-----------------------------|--------------------------------------|
| Aspect Ratio | 16:9, 4:3 |
| Multicast IP | Yes |
| NTSC/ATSC/QAM | Air VHF/UHF, CATV, IRC, HRC |
| MPEG4/MPEG2 | Yes |
| Supported Formats | 1080p/1080i/720p/576p/576i/480p/480i |
| Speakers/Audio Output Power | 2 x 5W RMS, except 24" 2 x 3W RMS |
| Analog Channels | Mono/Stereo/SAP |
| Digital Channels | Multilingual |
| Tone Control Balance | Custom/Flat/Music/Movie/ Speech |
| Source Input Leveling (AVC) | Yes |
| Dolby Audio | 2 ch |

INPUT/OUTPUT

| | |
|--|------------------------------|
| AC | IEC Male, Hospital-grade |
| USB Port (Cloning/Firmware Updates/Multimedia Use) | Yes, 2 |
| RF Input | Yes |
| HDMI/ HDCP Compliant HDMI-CEC | Yes, 3 Yes, 3 |
| CCI | Yes |
| MTI/SmartPort | Yes |
| Pillow Speaker I/O | Yes, 3 conductor 1/4" female |
| Ethernet | Yes |
| WiFi 6 | Yes |
| Wireless Audio | Yes |

PROCESSOR

| | |
|--------------|-----------------|
| OS | Android 11 |
| Flash Memory | 1.5 GB RAM/ 8GB |

POWER & POWER-SAVING FEATURES

| | |
|--------------------|--------------------|
| Power Source | 120V +/-15%, 60Hz |
| Inactive Power Off | Configurable Timer |

| | |
|----------------------------|-----|
| Configurable Standby Power | Yes |
|----------------------------|-----|

COMPLIANCE

| | |
|---------------------------|------------------------------------|
| UL/cUL 62368-1, Annex DVB | 65" |
| UL/cUL 60065, Annex Q | 55" 43" 32" |
| FCC Title 47 Part 15 | Yes |
| Warranty | 3 Year Standard 5 Year Optional |

Fully integrated solutions to improve the experience.

Choose from a wide array of mounting options and amenities from PDi to perfectly place your PDi A-Series set in lobbies, waiting rooms, or your patient room & help the patient and visitors feel at home. Increase patient satisfaction with expanded entertainment accessories or options.

Contact PDi to learn about custom mount services, installation and integrated solutions.

Visit www.pdiarm.com.

ACCESSORIES



TABLE STAND



ARTICULATING WALL BRACKET



WIRELESS KEYBOARD



CURBELL PDi-GENiO
Pillow Speaker

| | PDI-A65C 65" class | PDI-A55C 55" class | PDI-A43C 43" class | PDI-A32C 32" class |
|---------------------------------------|--|----------------------------------|----------------------------------|----------------------------------|
| Standard Flat Wall Mount | PD168-088 | PD168-070 | PD168-033 | PD168-079 |
| Articulating Wall Mount for TV | PD168-110 | PD168-110 | PD168-110 | PD168-110 |
| Table Stand | PD168-108 or PD168-084 | PD168-108 or PD168-084 | PD168-108 or PD168-084 | PD168-108 or PD168-084 |
| J Hook Mount | PD168-089 | PD168-087 | PD168-086 | PD168-086 |
| GENiO Remote Management | Optional | Optional | Optional | Optional |
| Pillow Speaker | Ask for Curbell PDi-GENiO Pillow Speaker | | | |
| Patient Remote | PD108-527 or PD108-421 | PD108-527 or PD108-421 | PD108-527 or PD108-421 | PD108-527 or PD108-421 |
| Program Remote | PD108-520 | PD108-520 | PD108-520 | PD108-520 |
| Extended Warranty | Available First-Year of Purchase | Available First-Year of Purchase | Available First-Year of Purchase | Available First-Year of Purchase |
| Wireless Keyboard | PD902-950 | PD902-950 | PD902-950 | PD902-950 |

Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories. Android is trademark of Google Inc. Epic and MyChart are trademarks of Epic Systems Corporation. The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. Some screen images are simulated. Dimensions and weights are approximate. Design specifications and features are subject to change without notice.

65" A-Series Enhanced Entertainment Patient Televisions

MODEL NUMBER PDI-A65C



Simple TV



Enhanced medTV

Built-in smart apps, no internet required, easy pillow speaker control



medTV SMART with GENiO™

Customize your patient experience with GENiO™ cloud software by PDi



Compatible Mounts

| | LOW-PROFILE FLAT MOUNT | ARTICULATING WALL MOUNT | PAN & TILT MOUNT | CEILING GRID MOUNTS | TABLE STANDS | | |
|----------------------|--|--|--|--|--|--|--|
| | | | | | | | |
| Mount | <p>PD168-088 Sleek design positions the TV close to the wall. Max Extension 4.7" (12.0 cm) Tilt Up 5 degrees Down 30 degrees</p> | <p>PD168-089 Tilt up 33° thru down 33° Weight capacity 55lbs (25 kg) Extends 10.5" (25.0 cm)</p> | <p>PD168-110 Tilt up 10° thru down 20° Weight capacity 77lbs (35.0 kg) Extends 20.5" (52.0 cm)</p> | <p>PD181-606 3" extension. Positions TV 7.4" away from the wall. <i>For longer lengths, call for details.</i> Requires PD168-088 flat mount. (<i>order separately</i>)</p> | <p>PDI-LCD-GRID-MT Grid mount ceiling support. Requires PD168-088 flat mount. (order separately) Ask about high-tilt option and column extensions</p> <p>PDI-DUAL-GRID-MT Grid mount ceiling support. Requires PD168-088 flat mount. (order separately) Ask about high-tilt option and column extensions</p> | <p>PD168-108 Freestanding, glass tabletop. Supports 88 lbs. 40kg Weighs 16 lbs. 7.28 kg</p> | <p>PD168-084 Compatible with VESA patterns 75x75 to 600x400. Fits TV displays up to 70"</p> |
| Optional Accessories | <p>PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A65 Premium Warranty Pillow Speaker Ask for Curbell PDI-GENiO Wireless Keyboard PD902-950</p> | <p>PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A65 Premium Warranty Pillow Speaker Ask for Curbell PDI-GENiO Wireless Keyboard PD902-950</p> | <p>PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A65 Premium Warranty Pillow Speaker Ask for Curbell PDI-GENiO Wireless Keyboard PD902-950</p> | <p>PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A65 Premium Warranty Pillow Speaker Ask for Curbell PDI-GENiO Wireless Keyboard PD902-950</p> | <p>PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A65 Premium Warranty Pillow Speaker Ask for Curbell PDI-GENiO Wireless Keyboard PD902-950</p> | <p>PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A65 Premium Warranty Pillow Speaker Ask for Curbell PDI-GENiO Wireless Keyboard PD902-950</p> | <p>PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A65 Premium Warranty Pillow Speaker Ask for Curbell PDI-GENiO Wireless Keyboard PD902-950</p> |


medTV⁶⁵

65" Large-screen TV Mounting Options

Enhanced entertainment, no internet required

Model Number PDI-A65C

Typical I/O Connectors



*Typical connections. Placement varies by model.

Patient TV Remote Control Options



Curbell PDI-GENiO
Pillow Speaker




Wireless Keyboard
PD902-950

VESA Pattern

VESA mount is 200x300,
6mm threads.

- A: 23 inches | 580.5 mm
- B: 23 inches | 580.5 mm
- C: 3.54 inches | 30 mm
- D: 21.8 inches | 553 mm



Healthcare Features

Model Number PDI-A65C



HEALTHCARE TV FEATURES

| | | | | | |
|----------------------------------|-----|---|------------------------------|---|------------------------|
| Auto Power On | Yes | Direct Access to Source from Pillow Speaker | Yes | Channel Tiers | 3 (Free/Basic/Premium) |
| Pro:Idiom® Pro:Idiom®M | Yes | Programmable Source Selection | Yes | Digital Channel Autocan and On/Off Capability | Yes |
| AES 128 | Yes | Channel Enable/Disable | Yes | Customizable Power On Splash Screen | Yes |
| DISH IP | Yes | Parental Control (V-CHIP) | Yes | UL Hospital Grade | Yes |
| Multi-Bed Codes A/B/C/D | Yes | Sleep Timer | Yes | Setup Menu Password Lock | Yes |
| Min/Max Volume Limiter | Yes | OSD Language Limiter | English/Spanish/French | Set-up Wizard | Yes |
| Power-on Volume | Yes | SI Control Port | CCI/MTI/Smart Port | Pre-loaded Apps | Yes |
| Internal Speaker Disable | Yes | IR OUT | YES (MTI Port) | | |
| USB Cloning | Yes | Universal Recognition Pillow Speaker | Yes, 3 Conductor 1/4" Female | | |
| Curbell PDI-GENiO Pillow Speaker | Yes | | | | |
| Pillow Speaker Voltage | 5V | | | | |

AUDIO/VIDEO BROADCAST SYSTEMS

| | |
|-----------------------------|--------------------------------------|
| Aspect Ratio | 16:9, 4:3 |
| Multicast IP | Yes |
| NTSC/ATSC/QAM | Air VHF/UHF, CATV, IRC, HRC |
| MPEG4/MPEG2 | Yes |
| Supported Formats | 1080p/1080i/720p/576p/576i/480p/480i |
| Speakers/Audio Output Power | 2 x 5W RMS, except 24" 2 x 3W RMS |
| Analog Channels | Mono/Stereo/SAP |
| Digital Channels | Multilingual |
| Tone Control Balance | Custom/Flat/Music/Movie/ Speech |
| Source Input Leveling (AVC) | Yes |
| Dolby Audio | 2 ch |

INPUT/OUTPUT

| | |
|--|------------------------------|
| AC | IEC Male, Hospital-grade |
| USB Port (Cloning/Firmware Updates/Multimedia Use) | Yes, 2 |
| RF Input | Yes |
| HDMI/HDCEP Compliant HDMI-CEC | Yes, 3 |
| CCI | Yes |
| MTI/SmartPort | Yes |
| Pillow Speaker I/O | Yes, 3 conductor 1/4" female |
| Ethernet | Yes |
| WiFi 6 | Yes |
| Wireless Audio | Yes |

PROCESSOR

| | |
|--------------|-----------------|
| OS | Android 11 |
| Flash Memory | 1.5 GB RAM/ 8GB |

POWER & POWER-SAVING FEATURES

| | |
|--------------------|--------------------|
| Power Source | 120V +/-15%, 60Hz |
| Inactive Power Off | Configurable Timer |

Configurable Standby Power Yes

COMPLIANCE

| | |
|---------------------------|-------------|
| UL/cUL 62368-1, Annex DVB | 65" |
| UL/cUL 60065, Annex Q | 55" 43" 32" |

FCC Title 47 Part 15 Yes

Warranty 3 Year Standard 5 Year Optional

medTV⁶⁵

TV Control Options

Easily customize with GENiO cloud-based software by PDI

GENiO
powered by PDI



Consistently Educate Patients



Improve Staff workflows



Survey Patients & Measure Instant Results



Cloud based Remote Management, NO ADT



Expand Entertainment



Market Your Brand & Services, like Telchealth