medTV⁵⁵

med**TV**⁵⁵



medTV Smart 55"

SPECIFICATIONS

- 4K Ultra-HD 3840 x 2160
- 55" Diagonal Panel
- Cabinet Dims (WxHxD): 49.2" x 28.5" x 2.1" (125 x 72.5 x 5.5 cm)
- · Shipping Weight: 59 lbs
- · 400x400mm, 8mm

For more info, visit pdiarm.com/products/a-series55

55" LED HDTV WITH SMART TECHNOLOGY

- Use as simple TV or medTV with integrated game and relaxation apps, no internet required
- Smart TV Capable (Android OS 11) to work with Interactive Patient Software Systems
- Easy to customize with GENiO™ remote management (optional)
- UL-Listed, Healthcare-grade for use in USA and Canada
- · ATSC, NTSC, QAM
- Pro:Idiom®, Pro:Idiom®M, AES-128 and DISH IP DRM
- · IPTV Capable
- · Multi-bed Codes, Volume Limiters, and More
- · Universal Pillow Speaker Recognition
- · USB Clone Capable
- Compatible with Epic®MyChart®BedsideTV



Compatible with the DVD module by PDi





PDI A-SERIES SMART HOSPITAL TVS



Android -based Smart Hospital TVs

PDi 65" 55" 43" 32"'

Android 11 OS or higher, compatible with Epic[®] MyChart[®] Bedside TV

Improve your patient and staff experience, with information and entertainment

EASY PATIENT ACCESS TO EPIC MYCHART

Deliver patient health information on the only Android-based hospital TVs compatible with the interactive MyChart Bedside TV Android app, available from Epic®. Patients access daily health schedules, pre-op instructions, patient medication information, care team, and more on PDi Smart Hospital TVs.

POPULAR EXPANDED ENTERTAINMENT

Delight patients with built-in pillow-speaker controlled TV, games, and relaxation, no internet required. Customize your patient experience and save staff steps using the cloud-based $GENIO_{TM}$ interactive platform by PDi.

UL-LISTED FOR HEALTHCARE

Safe for healthcare use in the USA and Canada. PDi A-Series hospital-grade displays offer Pro:Idiom® and Pro:Idiom® M, AES-128, and DISH IP-DRM. Enjoy features including IPTV capability, multi-bed codes, volume limiters, universal pillow speaker recognition, USB cloning, and more to satisfy patients and staff.

Exclusive
PDi Pillow Speaker Control



Ask for Curbell PDi-GENiO pillow speakers for smart control.

"PDi TVs are bulletproof. They stand up to a lot of abuse from patients and keep working really well. I plan to keep using them."

- Skeets Zinkhan, Healthsouth Chesapeake











Management











MODELS & SPECIFICATIONS




Includes TV, relaxation, and games; no internet required. Expand engagement with internet access or GENiO™ cloud-based customization and remote management software by PDi.

Android OS	Android 11	Android 11	Android 11	Android 11
Diagonal Panel Size	65" (165.1 cm)	55" (139.7cm)	43" (109 cm)	31.5" (80.0 cm)
Backlight Type	Back Lit LED	Edge Lit LED	Edge Lit LED	Edge Lit LED
Native Resolution	3840 x 2160 (UFHD)	3840 x 2160 (UFHD)	3840 x 2160 (UFHD)	1366x768(HD)
Speakers/ Audio Outpu	2 x 5 W	2 x 5 W	2 x 5 W	2 x 5 W
Power Supply	120 VAC/60	120 VAC/60	120 VAC/60	120 VAC/60
Power Consumption	179 W	120 W	84 W	50 W
Max and Normal/WxH Low Standby	×D <15 W / <1 W	<15 W / <1 W	<15 W / <1 W	<15 W / <1 W
Unit Dimensions W x H x D	57.6" x 33.1" x 2.1" (146.2 x 84 x 5.5cm)	49.2" x 28.5" x 2.1" (125 x 72.5 x 5.5cm)	38.6" x 22.4" x 2.2" (98 x 57 x 6cm)	29.2" x 17.1" x 2.3" (74 x 43.5 x 6cm)
Carton Size & Carton Weight	63" x 38" x 8" 56 lbs	58" x 41" x 8" 59 lbs	42" x 26" x 6" 32 lbs	32" x 21" x 5" 19 lbs
VESA Mount Pattern	200x300, 6mm	400x400, 8mm	200x200, 6mm	100x200, 6mm
Warranty	3 year Standard 5 year Optional	3 year Standard 5 year Optional	3 year Standard 5 year Optional	3 year Standard 5 year Optional

(lacksquare)Side Input Panel* 0 (Vertical on TV)

RF IN (Antenna)

Bottom Connection Panel*



HDMI

Pillow

Speaker I/O

MyChart Bedside TV Hardware Requirements

Epic MyChart Bedside TV	PDi A-Series Hospital TVs
Android Version 9.0 or later	Android 11 OS
Minimum 1.5 GB RAM	Minimum 1.5 GB RAM
Pillow Speaker with 4-way Navigation Buttons, OK/Select Button, and a Back Button	PDi-GENiO Smart Pillow Speaker by Curbell Medical

^{*}Typical connections. Placement varies by model.

HEALTHCARE FEATURES













HEALTHCARE TV FEATURES

Auto Power On	Yes
Pro:Idiom® Pro:Idiom®M	Yes
AES 128	Yes
DISH IP	Yes
Multi-Bed Codes A/B/C/D	Yes
Min/Max Volume Limiter	Yes
Power-on Volume	Yes
Internal Speaker Disable	Yes
USB Cloning	Yes
Curbell PDi-GENiO Pillow Speaker	Yes
Pillow Speaker Voltage	5V

Direct Access to Source from Pillow Speaker	e Yes
Programmable Source Selection	Yes
Channel Enable/ Disable	Yes
Parental Control (V-CHIP)	Yes
Sleep Timer	Yes
OSD Language Limiter	English/Spanish/ French
SI Control Port	CCI/MTI/Smart Port
IR OUT	YES (MTI Port)
Universal Recognition Pillow Speaker	Yes, 3 Conductor 1/4" Female

	Channel Tiers	3 (Free/Basic/Premium)		
	Digital Channel Autoscan and On/ Off Capability		Yes	
	Customizable Pow On Splash Screen	ver .	Yes	
	UL Hospital Grade		Yes	
h/	Setup Menu Password Lock		Yes	
h/	Set-up Wizard		Yes	
ort	Pre-loaded Apps		Yes	
4"				

AUDIO/VIDEO BROADCAST SYSTEMS			
Aspect Ratio	16:9, 4:3		
Multicast IP	Yes		
NTSC/ATSC/QAM	Air VHF/UHF, CATV, IRC, HRC		
MPEG4/MPEG2	Yes		
Supported Formats	1080p/1080i/720p/ 576p/576i/480p/480i		
Speakers/Audio Output Power	2 x 5W RMS, except 24" 2 x 3W RMS		
Analog Channels	Mono/Stereo/SAP		
Digital Channels	Multilingual		
Tone Control Balance	Custom/Flat/Music/ Movie/Speech		
Source Input Leveling (AVC)	Yes		
Dolby Audio	2 ch		

INPUT/OUTPUT				
AC IEC Mal	IEC Male, Hospital-grade			
USB Port (Cloning/ Firmware Updates/ Multimedia Use)	Yes, 2			
RF Input	Yes			
HDMI/HDCP Compliant HDMI-CEC	Yes, 3 Yes, 3			
CCI	Yes			
MTI/SmartPort	Yes			
Pillow Speaker I/O	Yes, 3 conductor 1/4" female			
Ethernet	Yes			
WiFi 6	Yes			
Wireless Audio	Yes			

PROCESSOR			
OS Android11			
Flash 1.5 Memory	1.5 GB RAM/ 8GB		
POWER & POWER-SAVI	NG FEATURES		
Power Source	120V +/-15%, 60Hz		
Inactive Power Off	Configurable Timer		
Configurable Standy Power	Yes		
COMPLIANCE			
UL/cUL 62368-1, Annex DVB	x 65"		
UL/cUL 60065,Annex 0	55" 43" 32"		
FCC Title 47 Part 15	Yes		
Warranty	3 Year Standard 5 Year Optional		



Fully integrated solutions to improve the experience.

Choose from a wide array of mounting options and amenities from PDi to perfectly place your PDi A-Series set in lobbies, waiting rooms, or your patient room & help the patient and visitors feel at home. Increase patient satisfaction with expanded entertainment accessories or options.

Contact PDi to learn about custom mount services, installation and integrated solutions.

Visit www.pdiarm.com.

ACCESSORIES









TABLE STAND

ARTICULATING WALL BRACKET

WIRELESS KEYBOARD

CURBELL PDI-GENIO Pillow Speaker

65" class 55" c	class 43" class 32" class			
Standard Flat Wall PD168-088 PD168 Mount	B-070 PD168-033 PD168-079			
Articulating Wall Mount for TV PD 168-110 PD 168	3-110 PD168-110 PD168-110			
PD168-108 or PD168- Table Stand PD168-084 PD168	1210010001			
J Hook Mount PD168-089 PD168	3-087 PD168-086 PD168-086			
GENIO Remote Management Optional Optio	nal Optional Optional			
Pillow Speaker Ask for Curbe	Ask for Curbell PDi-GENIO Pillow Speaker			
PD108-527 PD108 Patient Remote or or PD108 PD108-421 PD108	or or			
Program Remote PD108-520 PD108	-520 PD108-520 PD108-520			
Extended Warranty Available First- Availab Year of Purchase Year of P	/ Wallable Fire			
Wireless Keyboard PD902-950 PD902	2-950 PD902-950 PD902-950			

Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories. Android is trademark of Google Inc. Epic and MyChart are trademarks of Epic Systems Corporation. The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. Some screen images are simulated. Dimensions and weights are approximate. Design specifications and features are subject to change without notice.



55" A-Series Enhanced Entertainment Patient Televisions

MODEL NUMBER PDI-A55C



Simple TV



Enhanced medTV

Built-in smart apps, no internet required, easy pillow speaker control





CEILING GRID MOUNTS

medTV SMART with GENiO™

Customize your patient experience with GENiO™ cloud software by PDi



TABLE STANDS

Compatible Mounts

PAN & TILT

MOUNT

LOW-PROFILE **FLAT MOUNT** PD168-070 PD168-110 Sleek design positions the Tilt +/- 33 degrees TV close to the wall. Max Extension 4.5" (11.4 Extends 10.6" (26.7 cm) Tilt Up 5 degrees Down 30 degrees



ARTICULATING

WALL MOUNT





Extends the TV 10.5" (26.7

cm) away from the wall.

Weight capacity 55lbs

J-HOOK ARTICULATING

WALL MOUNT



3" extension. Positions

TV 7.4" away from the

wall. For longer lengths,

Requires PD168-079 flat

mount. (order separately)

PD108-421 or PD108-527

Ask for Curbell PDi-GENIO

PD181-606

call for details.

PD108-520

Patient Remote

Premium Warranty

Pillow Speaker

Pillow Speaker


PD902-950

Wireless Keyboard

WTG-A55









PDI-DUAL-GRID-MT Grid mount ceiling support, Requires PD168-070 flat mount. (order separately)

Ask about high-tilt option and column extensions



PD168-084 Freestanding, glass Compatible with VESA patterns

Fits TV displays up to 70"

PD108-520 Programming Remote

PD108-421 or PD108-527

WTG-A55 Premium Warranty

PD181-618-PAN Pan & Tilt

PD168-004 Pan Option Kit

PD890-1009 F-HEMIS

Ask for Curbell PDi-GENiO

Wireless Keyboard

Pillow Speaker

PD902-950

Patient Remote

75x75 to 600x400.

Optional Accessories

PD108-520 Programming Remote

PD108-421 or PD108-527 Patient Remote WTG-A55

Premium Warranty

Pillow Speaker Ask for Curbell PDi-GENIO Pillow Speaker

Wireless Keyboard PD902-950

PD108-520

Swivel 90° L/R

Programming Remote

PD108-421 or PD108-527 Patient Remote

WTG-A55 Premium Warranty

Pillow Speaker Ask for Curbell PDi-GENIO Pillow Speaker

Wireless Keyboard PD902-950

PD108-520

PD168-087

(25 kg)

Programming Remote

PD108-421 or PD108-527

Patient Remote WTG-A55

Premium Warranty Pillow Speaker

Ask for Curbell PDi-GENiC Pillow Speaker

Wireless Keyboard PD902-950

PD108-520 Programming Remote PD108-421 or PD108-527 Programming Remote

Patient Remote

WTG-A55 Premium Warranty

PD240-003-6FT 6FT Extension PD168-039 40deg to 55deg high

PD168-082 2ft Extension PD168-083 3ft Extension

Pillow Speaker Ask for Curbell PDi-GENiO

Wireless Keyboard PD902-950

PD108-520 Programming Remote PD108-421 or PD108-527

WTG-A55 Premium Warranty

PD168-039 40deg to 55deg hiah tilt kit WTG-A55

PD168-082 2ft Extension PD168-083 3ft Extension

Pillow Speaker Ask for Curbell PDi-GENiO

Wireless Keyboard PD902-950

PD108-520 Programming Remote

PD168-108

Supports 88 lbs.

Weighs 16 lbs

tabletop.

PD108-421 or PD108-527

Patient Remote

Premium Warranty Pillow Speaker

Ask for Curbell PDi-GENIC Pillow Speaker

Wireless Keyboard PD902-950

Large-screen TV Mounting **Options**

55"


medTVbb

Enhanced entertainment no internet required

> Document Number: MAR-CAT-814v13 Version 13-3Q2024

Model Number PDI-A55C

Typical I/O Connectors




*Typical connections. Placement varies by model.

VESA Pattern

VESA mount is 400x400, 8mm threads.

A: 16.7 inches | 425.1 mm B: 16.7 inches | 425.1 mm

C: 6.4 inches | 162.4 mm D: 6.4 inches | 162.4 mm



Patient TV Remote Control Options







Wireless Keyboard PD902-950

med**TV**⁵⁵

TV Control Options

Healthcare Features

Model Number PDI-A55C













HEALTHCARE TV FEATURES

Auto Power On	Yes	Direct Access to Source from Pillow Speaker	e Yes	
Pro:Idiom [®] Pro:Idiom [®] M	Yes	Programmable Source Selection	Yes	
AES 128	Yes	Channel Enable/	Yes	
DISH IP	Yes	Disable	100	
Multi-Bed Codes A/B/C/D	Yes	Parental Control (V-CHIP)	Yes	
7,75,75		Sleep Timer	Yes	
Min/Max Volume Limiter	Yes	OSD Language	English/Spanish/	
Power-on Volume	Yes	OSD Language Limiter	French	
Internal Speaker Disable	Yes	SI Control Port	CCI/MTI/Smart Port	
USB Cloning	Yes	IR OUT	YES (MTI Port)	
Curbell PDi-GENiO Pillow Speaker	Yes	Universal Recognition Pillow Speaker	Yes, 3 Conductor 1/4" Female	
Pillow Speaker Voltage	5V			

	ChannelTiers	3 (Free/Basic/Premium)		
	Digital Channel Autoscan and On/ Off Capability	Yes		
	Customizable Pow On Splash Screen	ver Yes		
	UL Hospital Grade	Yes		
sh/	Setup Menu Password Lock	Yes		
SI I/	Set-up Wizard	Yes		
Port	Pre-loaded Apps	Yes		
)				

AUDIO/VIDEO BROADCAST SYSTEMS		INPUT/OUTPUT		PROCESSOR	
Aspect Ratio	16:9, 4:3	AC IEC Mal	e, Hospital-grade	os	Android 11
Multicast IP	Yes	USB Port (Cloning/ Firmware Updates/	Von 2		
NTSC/ATSC/QAM	Air VHF/UHF, CATV, IRC, HRC	Multimedia Use)	Yes, 2	Flash 1.	5 GB RAM/ 8GB
MPEG4/MPEG2	Yes	RF Input	Yes		
Supported Formats	1080p/1080i/720p/ 576p/576i/480p/480i	HDMI/HDCP Compliant HDMI-CEC	Yes, 3 Yes, 3	POWER & POWER-SAV	120V +/-15%, 60Hz
Speakers/Audio	2 x 5W RMS, except	CCI	Yes	Power Source	120V +/- 15%, 60HZ
Output Power	24" 2 x 3W RMS	MTI/SmartPort	Yes	Inactive Power Off	Configurable Timer
Analog Channels	Mono/Stereo/SAP				
Digital Channels	Multilingual	Pillow Speaker I/O	Yes, 3 conductor 1/4" female	Configurable Standy Power	Yes
Tone Control Balance	Custom/Flat/Music/ Movie/ Speech	Ethernet	Yes	COMPLIANCE	
Source Input Leveling (AVC)	Yes	WiFi 6	Yes	UL/cUL 62368-1, Anno DVB	ex 65"
Dolby Audio	2 ch	Wireless Audio	Yes	UL/cUL 60065,Annex	Q 55" 43" 32"
				FCC Title 47 Part 15	Yes
				100 mile 47 Fait 15	.00
				Warranty	3 Year Standard 5 Year Optional





Consistently Educate Patients











Document Number: MAR-CAT-814v13

Version 13-3Q2024