
PDI A-SERIES Smart Healthcare HDTVs



Enhance your patient experience, with or without Internet

DELIVER MORE THAN SIMPLE TV

Customize your patient engagement experience, affordably and easily, with GENiO - the optional cloud-based software tool by PDi. Consistently engage patients with your educational weblinks, daily menus, video calls, send messages, patient surveys, and more.

Delight patients with pillow-speaker controlled TV, games, and relaxation, out-of-the-box. No internet required.

Or choose simple TV setup for lobbies, waiting rooms or break rooms.

DESIGNED SPECIFICALLY FOR HEALTHCARE

PDi A-Series displays with Pro:Idiom® are UL Listed, Universal Pillow Speaker Compatible, offer Closed Captioning and Volume Limiters to satisfy patients and staff.

Compatible with the PDi Wireless Antimicrobial Keyboard and PDi RF-HEMIS Head-end TV Server





"PDi TVs are bulletproof. They stand up to a lot of abuse from patients and keep working really well. I plan to keep using them."


 Skeets Zinkhan, Healthsouth Chesapeake Rehabilitation Hospital, Salisbury, MD



MODELS & SPECIFICATIONS



	55 "	43"	32"	24"
	PDI-A55B 55" class	PDI-A43A 43" class	PDI-A32A 32" class	PDI-A24A 24" class
SMART Option (Android 7.0)	Includes TV, relaxation, and games; no internet required. Ask about compatible interactive patient software systems or GENiO™ cloud-based customization software by PDi. Requires one-time fee or subscription.			
Diagonal Panel Size	55" (139.7cm)	43" (109cm)	31.5" (80.0cm)	23.6" (59.8cm)
Cabinet Type/Color	Metal/Black Gloss	Metal/Black Gloss	Metal/Black Gloss	Metal/Black Gloss
Backlight Type/Life	Back Lit LED/30,000 hrs	Back Lit LED/30,000 hrs	Back Lit LED/30,000 hrs	Back Lit LED/30,000 hrs
Native Resolution	1920 x 1080 (FHD)	1920 x 1080 (FHD)	1366 x 768	1920 x 1080 (FHD)
Panel Contrast Ratio	4000:1	1200:1	3000:1	1200:1
Viewing Angle H/V	176°/176°	176°/176°	176°/176°	170°/160°
Response Time	8ms	6ms	6.5ms	8.5ms
Frame Rate	60 Hz	60 Hz	60 Hz	60 Hz
Power Consumption Max and Normal/Low	120 W <15 W / <1 W	110 W <15 W / <1 W	50 W <15 W / <1 W	40 W <15 W / <1 W
Unit Dimensions W x H x D	49.2" x 28.5" x 2.1" (125 x 72.5 x 5.5cm)	38.6" x 22.4" x 2.2" (98 x 57 x 6cm)	29.2" x 17.1" x 2.3" (74 x 43.5 x 6cm)	22.0" x 13.1" x 2.1" (56 x 34 x 5.3cm)
Carton Size & Carton Weight	58" x 41" x 8" 50 lbs	42" x 26" x 6" 32 lbs	32" x 21" x 5" 19 lbs	25" x 16" x 5" 12 lbs
VESA Mount Pattern	400x400, 8mm	200x200, 6mm	100x200, 6mm	100x100, 4mm



^{*}Typical connections. Placement varies by model.



HEALTHCARE FEATURES















HEALTHCARE TV FEATURES

Auto Power On	Yes	Direct Access to	Yes	Channel Tiers	3 (Free/Basic/Premium)
Pro:Idiom®	Yes	Source from Pillow Speaker		Digital Channel	
Multi-Bed Codes A/B/C/D	Yes	Programmable Source Selection	Yes	Autoscan and On/Off Capability	Yes
Min/Max Volume Limiter	Yes	Channel Enable/Disable	Yes	Customizable Power On Splash Screen	Yes
Power-on Volume	Yes	Parental Control	Yes	UL Hospital Safety	Yes
Internal Speaker Disable	Yes	(V-CHIP)	163	Setup Menu	Yes
Disable		Sleep Timer	Yes	Password Lock	163
USB Cloning	Yes	OSD Language	English/Spanish/French	Set-up Wizard	Yes
RF Cloning (RF-HEMiS)	Yes	SI Control Port	CCI/MTI/Smart Port	Pre-loaded Apps	Yes
Selectable Pillow	+12VDC,+5VDC,	IR OUT	YES (MTI Port)	Android O/S	7.0 Nougat
Speaker	OFF,-5VDC				
Universal Pillow Speaker	Yes				

Aspect Ratio	16:9, 4:3	AC	
NTSC/ATSC/Clear QAM	Air VHF/UHF, CATV, IRC, HRC	USB Port (Cloning/ Firmware Updates/ Multimedia Use)	
MPEG4/Pro:Idiom	Yes		
_	1080p/1080i/720p/	RF Input	
Supported Formats	576p/576i/480p/480i	HDMI/HDCP Input	
Speakers/Audio	2 x 5W RMS, except	CCI	
Output Power	24" 2 x 3W RMS	MTI/SmartPort	
Analog Channels	Mono/Stereo/SAP	DVD Module Port	
Anatog Onamiets	World, dicied, di ti		
Digital Channels	Multilingual	Pillow Speaker I/O	
Tone Control	Custom/Flat/Music/Movie/		
Balance	Speech	Ethernet	
		Ethernet	
Source Input	Yes	WiFi	
Leveling (AVC)			

Yes

2 ch

INPUT/OUTPUT		POWER & POWER-SAVING FEATURES		
AC	IEC Male, Hospital-grade	Power Source	120V +/-15%, 60Hz	
USB Port (Cloning/		Inactive Power Off	Configurable Timer	
Firmware Updates/ Multimedia Use)	Yes, 2	Hardwired Power Cord	Yes for 55" only	
RF Input	Yes	CERTIFICATIONS		
HDMI/HDCP Input	Yes, 2	UL/cUL 60065,Annex Q	Yes	
CCI	Yes	FCC Title 47 Part 15	Yes	
MTI/SmartPort	Yes	RoHS	Yes	
DVD Module Port	Yes			
Pillow Speaker I/O	Yes, 3 conductor 1/4" female			
Ethernet	Yes			
WiFi	Yes			



Wireless Audio

Dolby Audio

Recognition

AUDIO/VIDEO BROADCAST SYSTEMS

Fully integrated solutions to improve the experience.

Choose from a wide array of mounting options and amenities from PDi to perfectly place your PDi A-Series set in lobbies, waiting rooms, or your patient room & help the patient and visitors feel at home. Increase patient satisfaction with expanded entertainment accessories or options.

Contact PDi to learn about custom mount services, installation and integrated solutions.

Visit www.pdiarm.com.

ACCESSORIES







ARTICULATING WALL BRACKET

WIRELESS KEYBOARD

	PDI-A55B 55" class	PDI-A43A 43" class	PDI-A32A 32" class	PDI-A24A 24" class
Standard Flat Wall Mount	PD168-070	PD168-033	PD168-051	PD168-103
Articulating Wall Mount for TV with DVD Module	PD168-107	PD168-107	PD168-080	None
Articulating Wall Mount for TV without Module	PD168-107	PD168-107	PD168-080	PD181-700 (or 701)
Table Stand	PD168-108	PD168-108	PD168-108	None
DVD Module and Bottom Mount Kits or Side Mount Kits	PD251-043-1 Module PD251-048 Bottom	PD251-043-1 Module PD251-042 Bottom, PD251-035 Side Kit	PD251-043-1 Module PD251-045 Bottom, PD251-034 Side Kit	PD251-043-1 Module PD251-046 Bottom, PD251-033 Side Kit
GENIO Remote Management	Optional	Optional	Optional	Optional
Patient Remote TV/DVD	PD108-427	PD108-427	PD108-427	PD108-427
Patient Remote TV only	PD108-421	PD108-421	PD108-421	PD108-421
Program Remote	PD108-420	PD108-420	PD108-420	PD108-420
Extended Warranty	Available First Year of Purchase	Available First Year of Purchase	Available First Year of Purchase	Available First Year of Purchase
Wireless Keyboard	PD290-104	PD290-104	PD290-104	PD290-104

Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories. Android is trademark of Google Inc.

The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. Some screen images are simulated. Dimensions and weights are approximate. Design specifications and features are subject to change without notice.



pdiarm.com